## **Pulvex**®

STORE IN A COOL, DRY PLACE BELOW 25°C.

DO NOT USE ON CHIHUAHUAS, DOGS SUFFERING FROM HEAT STRESS OR ON CATS

## WARNINGS

May be used on pregnant or lactating bitches. Wipe feats after treatment and before puppies are allowed to suckle. Keep out of reach of children, uninformed persons and animals. In case of poisoning call at doctor and make this label available to him. Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the reoistration holder.

Vog lich Dil



Reg. No. G4023 Act 36 of 1947

Contains: Amitraz 12.5 % m/v

controls ticks &

For full particulars, see unit carton.

DOSAGE & DIRECTIONS FOR USE, USE ONLY AS DIRECTED. FOR EXTERNAL USE ON DOGS ONLY. Pulvex® Dog Tick Dip should not be mixed with any other dip. The dipwash

must be freshly prepared prior to use.

Mixing instructions:
Mix the required volume of Pulvex® Dog Tick Dip with the specified volume of

lukewarm water in a plastic bucket.

Ticks & Lice - Use at a rate of 10 ml
Pulvex® Dog Tick Dip to 10 litres of water.

®Registered Trademark of Intervet (Ptv) Ltd.

Registration Holder: Model Product Distributors (Pty) Ltd. Co. Reg. No. 1991/005938/07 PO Box 293, Modderfontein, 1645 Email: info@modelproducts.co.za

Tel: 011 997 3400 or 08600 MODEL (66335)

Repeat treatment as necessary.

See bottom of carton for Batch No. /Expiry Date